

● PRINTER RUSH ●  
(PTO ASSISTANCE)

Application :	Examiner :	GAU :
From:	Location:	Date:
Tracking #: <u>EPM D9/806618</u>		Week Date: <u>6-13-05</u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449		<input checked="" type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS		<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM		<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW		<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW		<input type="checkbox"/> Other
<input type="checkbox"/> DRW		
<input type="checkbox"/> OATH		
<input type="checkbox"/> 312		
<input type="checkbox"/> SPEC		

[RUSH] MESSAGE: ① Continuing Data: Application No. 09/787,865 is listed on Palm/Bib sheet, but missing from specification.  
 ② PCT Application No. PCT/IL99/00506 is listed as a 371 on Palm/Bib sheet, but specification reads CIP.

[XRUSH] RESPONSE: Correction done  
 ① See update specification  
 ② See update Bib Data Sheets (both) EDAN PJM

INITIALS: B.P.

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.  
 REV 10/04